

# PY20 1150x540

## SCALE PALLET TRUCK 2000 KG



The PY20 is the easy-to-use solution for the everyday weighing needs up to 2000 kg. Thanks to the 4 load cells, this scale pallet truck is able to guarantee accurate weighing results.

### DISPLAY

Its 6 digits LED display provides accurate and precise weighing in kg and lb, and automatic energy-saving shutdown. Weights are shown in 0.5 kg steps with 0.1% precision. Main functions are:

- Tare
- Hold
- Weight totalization
- Zero
- Unit switchable



### BATTERY AND BATTERY CHARGER

The PY20 is supplied complete with rechargeable 6V/4Ah battery and charger. The battery module provides 40 hours autonomy.



### CONFIGURATION PY20

**STANDARD:** polyurethane steering wheels and poly tandem rollers



## Description

1.1 Manufacturer	LIFTER		
1.3 Drive	Manual		
Lift	MANUAL		
1.4 Operator type	Pedestrian		
1.5 Load capacity	Q	kg	2000
1.6 Load centre distance	c	mm	600
1.8 Load axle to end forks	x	mm	938
1.9 Wheel base	y	mm	1260

## Weights

2.1 Service weight	kg	99
2.2 Axle load, laden rear	kg	629
2.2 Axle load, laden front	kg	1470
2.3 Axle load, unladen front	kg	62
2.3 Axle load, unladen rear	kg	37

## Tyres/Chassis

3.1 Tyres: front wheels			POLY
3.1 Tyres: rear wheels			POLY
3.2 Tyre size: Steering wheels - Width	mm	50	
3.2 Tyre size: Steering wheels - Diameter	mm	180	
3.3 Tyre size: Load rollers - Diameter	mm	70	
3.3 Tyre size: Load rollers - Width	mm	70	
3.5 Tyre size: rear wheels - Q.ty (X=driven)	nr	4	
3.5 Tyre size: front wheels - Q.ty (X=driven)	nr	2	
3.6 Tread, front	b10	mm	108
3.7 Tread, rear	b11	mm	380

## Dimensions



4.4 Lift height	h3	mm	120
4.9 Height of tiller in drive position max	h14	mm	1200
4.9 Height of tiller in drive position min	h14	mm	290
4.15 Height, lowered	h13	mm	80
4.19 Overall length	l1	mm	1640
4.20 Length to face of forks	l2	mm	410
4.21 Overall width (front/rear)	b1/b2	mm	540
4.22 Fork dimensions - Thickness	s	mm	50
4.22 Fork dimensions - Width	e	mm	160
4.22 Fork dimensions - Length	l	mm	1150
4.25 Forks width	b5	mm	540
4.32 Ground clearance, centre of wheelbase	m2	mm	35
4.34 Aisle width	Ast	mm	1678
4.35 Turning radius	Wa	mm	1350

## Performance data

5.2 Lifting speed laden	strokes	12
5.2 Lifting speed unladen	strokes	12

## Scale

Digits	n.	6
Digit height	mm	3
Kilograms		Yes
Lbs		Yes
Tare		Yes
Unbalanced load		Yes
Auto-off		Yes
Totalization		Yes
Accuracy	%	0.1
Load cells	n.	4
Division	kg	0.5
6.4 Battery voltage	V	6
6.4 Battery capacity	Ah	4



The information is aligned with the Data file at the time of download.  
Printed on 27/08/2025 (ID 20991)

©2025 | PR Industrial S.r.l. – Loc. Il Piano – 53031 Casole d'Elsa (SI) – ITALY. Company subject to the management and coordination of Generac Power Systems Inc. | All rights reserved | Image shown may not reflect actual package. Specifications subject to change without notice